

Today, fossil fuels are used to supply 70% of the world's energy needs, 40% of which are used in the building sector to achieve several goals such as heating, ventilation, air conditioning and cooling [1] this situation, Combined cooling, heating and power (CCHP) systems which simultaneously produce diverse type of energies (electricity, heating and ...

Fig. 1 shows a novel integrated system based on cascade utilization of LNG cold energy based on the previously published work [23].The system is combined with five subsystems including combustion power generation system, Organic Rankine cycle system, Transcritical CO<sub>2</sub> cycle system, CO<sub>2</sub> hydrate energy storage system, seawater ice-making ...

To efficiently recover the large amount of cold energy released during the regasification process of LNG with lower investment, a multi-stage Rankine cycle system combined with hydrate energy storage and seawater ice-making cycle was carried out, and the advanced exergy and exergoeconomic analysis was conducted in this paper.

To make better use of the battery life cycle, this paper proposes a hybrid energy storage energy management strategy that considers the battery fatigue life of cascade utilization. First, the ...

Pourmoghadam and Kasaeian [25] aimed to model a dynamic solar multi-generation system for cooling, heating, power, and water production, considering long-term performance and utilizing phase change material energy storage. The system was evaluated from energy and economic perspectives. Toluene was identified as the best organic Rankine fluid.

The screening process is followed with relevant keywords such as "cascade latent heat energy storage", "cascade latent heat energy storage" and "multiple phase change materials", which could be conducted in two steps (as Fig. 2 a). Following an initial screening, there reveals few relative studies in this field, with over 362 research papers ...

Recently, various works have been performed focusing on different energy phases of MCDES. On the production side, wide-spreading renewable solar and wind energies are harvested to drive MCDES [6].For instance, the annual cost and life-cycle emission of a solar-wind-hydrogen MCDES were evaluated and planned [7], which reduced natural gas consumption and ...

The present study deals with the development of compressed air energy storage options for off-peak electricity storage, along with heat recovery options. Three cases based on compressed air energy storage are considered for investigation and compared for evaluation. While case 1 considers only compressed air energy storage, case 2 includes cascaded heat ...

Design and Analysis of Cascade Thermal Energy Storage System for Different Heat Transfer Fluids. Conference paper; First Online: 12 ... Sharma M, Singh O, Shukla AK (2022) Comparative evaluation of Integrated Solar combined cycle plant with cascade thermal storage system for different heat transfer fluids. J Clean Prod 353:131519. Article ...

Investigation of organic Rankine cycle integrated with double latent thermal energy storage for engine waste heat recovery. Author links open overlay panel Xiaoli Yu a b, Zhi Li a b, Yiji Lu a b, Rui Huang a, Anthony Paul ... proposed an innovative cascade cycle combining a Trilateral Cycle and an ORC for industry or transport application to ...

1 Faculty of Electronics and Information Engineering, Xi'an Jiaotong University, Xi'an, China; 2 Key Laboratory of Thermo-Fluid Science and Engineering of Ministry of Education, School of Energy and Power Engineering, Xi'an Jiaotong University, Xi'an, China; 3 School of Future Technology, Xi'an Jiaotong University, Xi'an, China; Compressed Air Energy Storage ...

A novel cascade Rankine cycle is proposed for treating brackish groundwater using a reverse osmosis system. The cascade RO system is arranged in a loop with a steam Rankine cycle (SRC) at the top and an organic Rankine cycle (ORC) at the bottom to provide high recovery, electricity-free, and scalable options.

However, this solution is not applicable during short stays. This paper presents a novel and energy-efficient way to supply zero-emission power during harbor stays of marine vessels. The proposed system combines the use of a thermal energy storage and a waste heat recovery system based on the organic Rankine cycle technology.

In this study, a conceptual-evaluation study of a SOFC-based cascade cycle integrated with TIG and TEG is presented and discussed under the effective parameters. The ...

The energy recovery efficiencies for daily cycle, weekly cycle and monthly cycle are 96.96%, 96.27% and 93.15%, respectively. The slight increase of energy recovery efficiencies from daily cycle to monthly cycle indicate that with the same energy storage scales, the energy produced by daily cycle has slight competitiveness.

In this study, a novel waste heat recovery system combining a transcritical CO<sub>2</sub> system, an organic Rankine cycle (ORC), and a compression heat pump/refrigeration system is proposed. The compression heat pump system can be converted into a compression refrigeration system without replacing any equipment, which is beneficial to reducing the cost of the system.

The cold energy utilization of liquified natural gas is a promising solution for electricity generation systems to raise power output. In order to enhance cold energy recovery performance, here we propose a cascade Brayton cycle, which can efficiently utilize the waste heat from gas turbine and the cold energy of liquefied natural

gas.

A cascade organic Rankine cycle power generation system using hybrid solar energy and liquefied natural gas. *Solar Energy*. 2016; 127:136-146. DOI: 10.1016/j.solener.2016.01.029; 17. Choi I-H, Lee S, Seo Y, Chang D. Analysis and optimization of cascade Rankine cycle for liquefied natural gas cold energy recovery. *Energy*. 2013; 61:179 ...

1 Introduction 1.1 Background. Bioenergy is a large-scale renewable energy source, accounting for 10%-14% of the world's primary energy and potentially reaching 30%-40% by 2050 (Rosillo-Calle, 2016). Currently, over 120 million tons of sugar are produced worldwide each year, with approximately 70% derived from sugarcane (). The biomass potential of this crop can replace ...

The overall system consists of a transcritical CO<sub>2</sub> Rankine cycle and a cascade latent thermal energy storage unit (TCO<sub>2</sub> RC-CLTES), which is placed downstream the EHBO for further exhaust heat recovery. Sea water is chosen as cold sink for the condensation of CO<sub>2</sub>.

Liquid air energy storage (LAES), with its high energy density, environmental friendliness, and suitability for long-duration energy storage [[1], [2], [3]], stands out as the most promising solution for managing intermittent renewable energy generation and addressing fluctuations in grid power load [[4], [5], [6]]. However, due to the significant power consumption ...

In this paper, we establish energy-hub networks as multi-energy systems and present a relevant model-predictive cascade mitigation control (MPC) scheme within the framework of energy ...

Important parameters studied in energy and exergy analyses are exergy loss in different components and the efficiency of the first and second laws of thermodynamics (Park et al., 2014). The thermodynamic equations governing the cycle and the system, including the first and second laws of thermodynamics for the extracted cycle components, and the equipment ...

In a wide temperature range, propane and methanol are chosen as heat transfer fluids and storage materials for cascade recovery and storage of liquid air cold energy. For the LNG cycle with a wide temperature range from -162 °C to 20 °C, pressurized propane is selected as the heat transfer fluid and a storage medium to recover LNG cold energy.

The operational load of gas turbine can be regulated by using compressor bypass extraction. In this paper, a combined cooling, heating and power (CCHP) system integrating gas turbine cycle (GTC), compressed air energy storage (CAES), supercritical CO<sub>2</sub> Brayton recompression cycle (SCRC), organic Rankine cycle (ORC) and absorption refrigeration cycle ...

Dynamic simulation and techno-economic analysis of liquid air energy storage with cascade phase change materials as a cold storage system ... cycle and the cold recovery system. Different liquefaction cycles are

introduced such as Linde, Solvey, Claude, Collins, Kapitza, and Heylandt also one-tank and two-tank thermal energy storage can be used ...

A model for the optimal design and management of a cogeneration system with energy storage. Stoppato, Anna; Benato, Alberto; Destro, Nicola ... A review of researches on thermal exhaust heat recovery with Rankine cycle. Wang, Tianyou; Zhang, Yajun; Peng, Zhijun ... 24 POWER TRANSMISSION AND DISTRIBUTION optimization waste heat recovery cascade ...

Dynamic simulation and techno-economic analysis of liquid air energy storage with cascade phase change materials as a cold storage system. Author links open overlay panel Shadi Bashiri Mousavi ... Two main parts of this system are the liquefaction cycle and the cold recovery system. Different liquefaction cycles are introduced such as Linde ...

The liquid air energy storage (LAES) is a thermo-mechanical energy storage system that has showed promising performance results among other Carnot batteries technologies such as Pumped Thermal Energy Storage (PTES) [10], Compressed Air Energy Storage (CAES) [11] and Rankine or Brayton heat engines [9].Based on mature components ...

To address this challenge, the cascade refrigeration cycle has emerged as a widely adopted solution, divided into the external cascade cycle and the auto-cascade cycle [5]. The external cascade cycle utilizes two compressors, resulting in relatively higher initial investment, power consumption and a more complex control strategy. The auto ...

He et al. [13] proposed a novel LNG cold energy cascade utilisation system named CES-ORC-DC-LNG, integrating Cryogenic Energy Storage (CES), Organic Rankine Cycle (ORC), and Direct Cooling (DC) to utilise LNG cold energy across low, middle, and high-temperature ranges, respectively. LNG is first pumped to 30 MPa, and the final reduced ...

Krawczyk et al. [12] used a thermodynamic analysis done with the Aspen HYSYS to compare the efficiencies of CAES and liquid air energy storage (LAES) systems. The liquefaction of air and gas turbine power generation cycles are combined in the thermodynamic LAES cycle. CAES was dynamically modeled to account for the system's transient behavior.

With minimizing energy consumption as the objective function, Talpacci [16] concluded that energy consumption can save over 10 % by optimizing the configuration of cascade storage systems. In this paper, a thermodynamic analysis is performed with considering the hydrogen mass, pressure, and temperature in source tank and recovery tank for ...

In-cycle heat recovery using heat storage: Setting the four-way valve (F) and three-way valve (G) as shown in Fig. 2a, the compressor (A) compresses the low-pressure vapour from the evaporator (D ...

From the perspective of EV applications, cascading reuse of an LIB in stationary energy storage can reduce net cumulative energy demand and global warming potential by 15 ...

Another study on Pumped Thermal Electricity Storage by Henchoz et al. carries out an optimization of costs and efficiency of a solar enhanced setup with two ammonia cycles [6]. Both cycles' cold storages (ice water or salt water eutectica) are connected. As hot source of the heat pump cycle ambient air is used, while the hot source of the heat-engine cycle is hot ...

Web: <https://shutters-alkazar.eu>

Chat online: <https://tawk.to/chat/667676879d7f358570d23f9d/1i0vbu11i?web=https://shutters-alkazar.eu>